



# PRODUCED WATER

This document explains the requirements when a highway tank that previously carried petroleum crude oil is later used to transport produced water. This document does not change, create, amend or suggest deviations to the [Transportation of Dangerous Goods Regulations](#) (TDG Regulations). It also does **not** address provincial, environmental or any additional regulations that may apply.

## General information

### Description of produced water

Produced water is a term used in the oil and gas industry to describe water produced as a byproduct when oil and gas are extracted. Produced water can be injected to stimulate a formation or in a well to enhance oil recovery. It can be reused several times, depending on the availability of water in a particular region.

Produced water is disposed of in deep injection wells or stored temporarily, both which are subject to regulations. This water is generally highly saline and not suited for domestic purposes.

### Determine if produced water is regulated as dangerous goods

It is difficult to determine, on a consistent basis, if produced water is regulated as dangerous goods. Why? The composition of produced water varies from well to well. Also, produced water is often reused during the extraction of oil and gas, which further affects its composition. Produced water has varying quantities of oil, metals and minerals (zinc, lead, manganese, iron and barium).

Produced water must be classified through testing to determine if it is regulated.

If it meets the classification criteria of a dangerous goods in accordance with [Part 2](#) of the TDG Regulations, the consignor must follow the TDG Regulations such as, but not limited to, the requirements of:

- Classification ([Part 2](#))
- Documentation ([Part 3](#))
- Dangerous goods safety marks ([Part 4](#))
- Means of containment ([Part 5](#))
- Training ([Part 6](#))
- Reporting requirements ([Part 8](#))

## Transporting produced water as non-regulated dangerous goods

The requirements of the TDG Regulations do not apply to produced water when **both** of the following conditions are met:

- testing determines that produced water is **not** classified as dangerous goods
- transported in a highway tank that **was cleaned and purged** prior to loading

For the remainder of this document, we assume that produced water is **not** classified as dangerous goods **and** is being transported in a highway tank that previously contained petroleum crude oil but has **not been cleaned and purged** prior to loading.

## Potential danger with the transport of produced water

Highway tanks used to transport produced water are often also used to transport petroleum crude oil, condensate and other oil and gas products.


However, there are currently no regulatory requirements to clean and purge a highway tank, which previously contained petroleum crude oil or any other dangerous goods, prior to filling it with produced water. As such, there is often a residue of petroleum crude oil in the highway tank. This residue coats the inside walls of the highway tank and typically floats on top of the produced water.

In this unique situation, petroleum crude oil and water don't mix, so the highway tank contains two distinct products (petroleum crude oil and produced water).


Even though most of the load in the highway tank is non-regulated produced water, the petroleum crude oil residue still represents a potential danger. The top of the highway tank, the "vapour space", can be filled with flammable vapours.

Since the potential danger associated with petroleum crude oil is still present, the Class 3 dangerous goods marks must remain displayed on the highway tank until it is cleaned and purged.

Below are diagrams to help illustrate this scenario.



Even when produced water, which is not classified as dangerous goods, is of a greater quantity than petroleum crude oil in the highway tank, consignors must still indicate the presence of dangerous goods on a shipping document and by displaying placards of Class 3 on the highway tank.



## Identifying produced water with a residue of petroleum crude oil on a shipping document

Once a highway tank delivers its load of petroleum crude oil, the carrier must show the change in quantity on the shipping document, as per [Subsection 3.5\(5\)](#) of the TDG Regulations.

As a minimum, a shipping document must identify the residue of petroleum crude oil, even if the shipment contains a full load of unregulated produced water. However, as per Subsection 3.5(4) of the TDG Regulations, when the highway tank contains a residue, the words “Residue – Last Contained” may be added before or after the description of the dangerous goods. These optional words are used instead of listing the actual remaining quantity of petroleum crude oil, in liters.

To avoid confusion, it is suggested that the highway tank be accompanied by another document (meter ticket, invoice ticket, bill of lading, manifest) that identifies the load of produced water. This helps inspectors clearly understand that the highway tank contains residue of petroleum crude oil and a full load of produced water. Also, the consignor of the petroleum crude oil and produced water are usually not the same, which is why separate documents should be used to identify both the produced water and petroleum crude oil.

The shipping document used to identify the residue of petroleum crude oil must stay in the vehicle until the highway tank:

- has been cleaned and purged
- is filled with a new load of dangerous goods

## Potential impact of not identifying residual petroleum crude oil

This could cause confusion and mislead:

- first responders attending the scene of an accident
- anyone inspecting or servicing the highway tank

If the shipping document does not identify the petroleum crude oil residue, anyone could mistakenly assume the placards and UN numbers are displayed in error and thus, not take the appropriate precautions.

## Handling produced water in a highway tank that previously contained petroleum crude oil

When transporting a load of produced water that is not classified as a dangerous goods, with a residue of petroleum crude oil, you must:

- keep the dangerous goods marks (Class 3) on the highway tank until it is cleaned and purged
- identify the petroleum crude oil on a shipping document

**Note:** To avoid confusion, it is suggested to identify the produced water on a separate document, otherwise inspectors may assume that the highway tank contains a full load of petroleum crude oil.

- ensure the driver of the vehicle has TDG training

## Compliance with the TDG Act and Regulations

Failure to comply with the [TDG Act](#) and TDG Regulations may lead to fines and/or imprisonment. For more information, you can visit the [TDG website](#) and the [Department of Justice website](#).

## Contact us

For any regulatory questions, please [contact us](#).